East Valley Estates 2020 CCR (PWSID# MT0004514)

Is my water safe?

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

East Valley Estates subdivision has a total of 28 lots in Phase II and 17 lots in Phase I. Of these 45 lots, 16 lots have been built on in phase I and 27 lots are built on in phase II. Your subdivision has two wells and one pressure control house that has 12 captive air tanks (Pressure Tanks).

Well #1 (GWIC 223739) is the northeasterly well in the Park Area. Well #1 is 280 feet deep, pumps about 140 to 150 gpm with a 7.5 hp submersible pump. The casing is 8" steel casing, is perforated between 266 and 280 feet below the top of the casing. The static water level is at about 4 feet below the top of the casing.

Well #2 (GWIC 223738) is located in the Park Area also. Well #2 is 280 feet deep and pumps about 140 to 150 gpm with a 7.5 hp submersible pump. The casing is 8" steel and perforated between 268 to 280 feet below the top of the casing. The static water level is 3 feet below the top of the casing. Both wells are grouted from 0 to 25 feet with water rights for 95 gpm or 48.60 acre feet. There is about 2000 linear feet of 4" PVC mains, one air release valve and two blow offs in Phase I, one at Holt Stage and one in Fairview Court. The air release is located between lots 2 and 3 on the property line in the Right of Way. There are 4 main line valves that are exercised

Source water assessment and its availability

Information about the Source Water Assessment is on file with the Montana Department of Environmental Quality.

Your drinking water is safe and meets federal and state requirements. If you have any questions about this report or concerns about your water, please contact Tina Malkuch 406-253-5301. Tina is the operator with 36 years of experience and is the owner of Safewater Testing simplified (STS). She attends all state required training sessions to meet continuing education credits as needed. The most recent courses attended were done online with Montana Rural Water systems. Jeri Miller, also a certified operator, is a contract employee that has worked at STS for 18 years. Her roll at STS not only includes office work, but to assist in testing as a back-up operator.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants. such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

The East Valley Estates HOA routinely meets once a year. Look for your notice within your water billing statements or individually mailed to you annually announcing the time and place. All homeowners should conserve water whenever possible. See Water conservation Tips below.

Description of Water Treatment Process

Your water is treated by disinfection. Disinfection involves the addition of chlorine or other disinfectant to kill dangerous bacteria and microorganisms that may be in the water. Disinfection is considered to be one of the major public health advances of the 20th century.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit www.epa.gov/watersense for more information.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. East Valley Estate is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

	MCLG or	MCL, TT, or		Ra	nge	Sample			
Contaminants	MRDLG	MRDL	<u>Water</u>	Low	High	<u>Date</u>	<u>Violation</u>	<u>1</u>	<u>Typical Source</u>
Inorganic Contaminants									
Nitrate [measured as Nitrogen] (ppm)	10	10	0.05	0.05	0.05	2020	No	Le se de	unoff from fertilizer use; eaching from septic tanks, wage; Erosion of natural eposits
Nitrite [measured as Nitrogen] (ppm)	1	1	0.001	NA		2020	No	Le se	unoff from fertilizer use; eaching from septic tanks, wage; Erosion of natural eposits
Chromium	100	100	2	2	2	2019	No	m	ischarge from steel and pulp ills, Erosion of natural posits.
Fluoride (ppm)	4	4	0.05	0.05	0.05	2019	No	W pr Di	rosion of natural deposits; fater additive which omotes strong teeth; ischarge from fertilizer and uminum factories
Barium (ppm)	2	2	0.33	0.33	0.33	2019	No	Di re:	ischarge of drilling wastes; ischarge from metal fineries; Erosion of natural posits
Microbiological Con	taminants								
Fecal coliform/E. coli - in the distribution system (positive samples)	0	0	0	NA		2020	No		Human and animal fecal waste
Radioactive Contam	inants								
Gross alpha (excluding radon & uranium	0	15	1.2	1.2	1.2	2016	No	Er	rosion of natural deposits
Radium (combined 226/228) (pCi/L)	0	5	1.2	.08	1.2	2016	No		osion of natural deposits
<u>Contaminants</u>	MCLG	AL I	90th Percentile	Sam Dat		# Sample Exceeding			Typical Source
Inorganic Contamin	ants								
Copper - action level at consumer taps (ppm)	1.3	1.3	0.07	202	20	0	N	o	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppb)	0	15	1	202	20	0	N	0	Corrosion of household plumbing systems; Erosion of natural deposits

Unit Descriptions					
Term	Definition				
ppm	ppm: parts per million, or milligrams per liter (mg/L)				
ppb	ppb: parts per billion, or micrograms per liter (μg/L)				
pCi/L	pCi/L: picocuries per liter (a measure of radioactivity)				
NA	NA: not applicable				
ND	ND: Not detected				
NR	NR: Monitoring not required, but recommended.				

Violations

We failed to provide to you your drinking water CCR, that informs you about the quality of your drinking water and characterizes the risks from exposure to contaminants detected in your drinking water before June 30, 2012. A report was provided in July 2012.

Important Drinking Water Definitions					
Term	Definition				
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contamina in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.				
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.				
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.				
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.				
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.				
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.				
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.				
MNR	MNR: Monitored Not Regulated				
MPL	MPL: State Assigned Maximum Permissible Level				

Montana Department of Environmental Quality conducted a source water assessment of our system. This report provides additional information on the potential vulnerability of our wells to contamination. This report is available for review online at http://svc.mt.gov/deq/dst/#/app/swp. The report can be summarized in the following table:

Significant Potential Contaminant Sources

Source	Contaminant	Hazard	Hazard Rating	Barriers	Susceptibility	Management
Inventory	Region					
Septic Systems	Pathogens, nitrate (NO ₃)	Discharge of pathogens; failure leading to discharge of untreated septage.	Moderate ificant	Depth to intake, confining layers	Low	Properly maintain septic tanks at scheduled intervals. Participate a debates over water quality and lc districts. Promote advanced septieducation.
USTs (?)	VOCs	Leaching of VOCs to groundwater	Low	Depth to intake, confining layers	Very Low	Maintain water quality sampling schedule. Participate as a stakeh over water quality and local water

Our water system is committed to providing our customers with safe, pure water and we are pleased that our water meets or exceeds all established state and federal standards. Thank you for reviewing this report.

For more information please contact:

Tina Malkuch Safewater Testing Simplified 1500 Airport Road Kalispell, MT 59901 Phone: 406-253-5301

E-Mail: sts2535301@gmail.com Website: www.stsmontana.com